



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	COH Europe SCM B.V., Blankenweg 24				
e-mail address	4612 RC Bergen op Zoom, Netherlands				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	IM 2702			
Model number *	IM 2702			
Issue date *	23 May 2019			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e *	23 May 2019				
Product environmental attributes - Legal requirements		Require	ment	met		
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.		,1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms	in the		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/	week 🗵		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):	×		
P2	Batterie					
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with full Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	nium. (See	legal 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le		ce).		
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@ric	oh-			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	Required information is; given in item P15 or added to this document,  available at (add URL):					
P4	Consun	nable materials				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (	see 🔀		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	ce).		
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* IM 2702

Model number *	IM 2702	Logo	
Issue date *	23 May 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$					
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$					
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$				
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$					
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
P7.15	containing more than 25% post-consumer recycled content.	$\overline{}$	$\boxtimes$	$\overline{}$			
1 7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	Ш					
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)  Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$				
F1.10	Marking: <i>FR</i> (40)		Ш	Ш			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_		_			
	according ISO 1043-4:		$\boxtimes$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:		$\boxtimes$				
	1. Chemical name: , CAS #: (See NOTE B4)						
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	The state of the s						
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>		<del>-  -</del>			
P7.19	assigned the following Risk phrases; and Hazard statements:		$\boxtimes$				
	The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$	П				
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a						
	percentage of total plastic by weight) is <i>app. 0.04</i> %.						
	or						
	b) The weight of recycled material is <i>app. 6.21g</i> .						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	number * IM 2702 Logo									
Issue date	*	23 May 20	ay 2019							
Product 6	Product environmental attributes - Market requirements (continued) Requirement me								met	
Item							,	Yes	No	n.a.
P7.21* Biobased plastic material content is used in the product (See NOTE B7):										
P7.21*	Biobase	d plastic ma	aterial content is used i	in the product (See	NOTE B7):			Ш	$\boxtimes$	Ш
			of the two alternatives							
		otal plastic Il plastic by		the biobased plasti	c material content (calcula	ited as a perc	entage of			
	or	ii piaotio by	worgin, io.							
	b) The	weight of t	the biobased plastic m	aterial is.						
P7.22*			ee from mercury, i.e. le			la		$\boxtimes$		
Do		<u> </u>	pecify: Number of lam	ps: and maxi	mum mercury content per	іапір.	mg			
P8.1*	Battery c		mposition: Lithium-io	n hattery (One cel	l hattely)					$\overline{}$
P9			on (See NOTE B8)	ar battery (Grie Ger	· Dattory)					
P9.1			following power levels	or energy consump	otions are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/S	tandard fo	r e	nergy	
Lilorgy			100 V AC	115 V AC	230 V AC	modes and to		0.	noig,	ш
Sleep mod	le for ENE	RGY	W	W	W					
STAR® Op		Mode								
(OM) produ Standby/of		•	W	W	W					$\square$
ENERGY S			, , ,	**	**					
Mode (OM										
TEC value TEC produ		GY STAR	kWh/week	kWh/week	1.309 kWh/week					Ш
· ·										
(TEC= Typ		JY	W	W	491.17 W					_
Operating	moae		VV	VV	<b>491.17</b> VV					Ш
Ready mo	ndo.		W	W	106 W					
			W	W	1.01 W					<del>  </del>
Sleep mod	ae									<u> </u>
			W	W	W					<u>Ц</u>
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking I	Protocol) *:					$\boxtimes$
Print/Scan	Speed *	:	27 images per minute							П
Default tim	e to enter	energy sav	ve mode: 1 minutes							$\overline{\Box}$
				$\boxtimes$		Ħ				
P10	Emissio	ns		·	·					
		mission – I	Declared according to	ISO 9296 (See NO	ΓE B9)					
P10.1	Mode	M	lode description		Statistical upper limit A-we	eighted sound	power level,			
					L <sub>WA,c</sub> (B)					
	Idle	*	Stand-by		* 3.3					
	Operation * Operating Mode			* 6.4					Ħ	
Other mode										
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74						
			Other	(only if not covered	by ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	number * IM 2702 Logo						
Issue date	ue date * 23 May 2019						
Product environmental attributes - Market requirements (continued) Requirement met							
Item					Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)					
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from E	lectronic			Ш	Ш
P10.3		tent (ISO/IEC 28360) , other specify: RAL-UZ 205					
P10.3	i ypicai	emission rate (operation phase) is (mg/h):					Ш
		photographic devices: Dust 0.29 Ozone 0.1 Styrene < 0.03 Benzene < 0.01 TV	OC 0.57				
	Ink dev	rices: Dust Styrene Benzene TVOC					
		ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products	1 1 /	D ( 0)			
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	•			Щ.	Ц.
P11.2*	EN 122		he require	ements of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.			$\boxtimes$		
P13		ging and documentation					
P13.1*	Produc	t packaging material type(s): <b>Corrugated paper</b> weight (kg): <b>4</b> t packaging material type(s): <b>Plastic (LDPE)</b> weight (kg): <b>0.27</b> t packaging material type(s): weight (kg):					
P13.2*	Product packaging material type(s). weight (kg).  Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:						
P13.4*		media for user and product documentation (tick box): nic , Paper , Other					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	Totally	chlorine-free			$\boxtimes$		
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Volunta	ary programs:					
P14.1	The pro	oduct meets the requirements of the following voluntary program(s):					
	Eco-lab	el: BAM Criteria version: RA-UZ 205 Date: Product el: Criteria version: Date: Product	category: category: category:	MFP			
P15	Additio	onal information (See NOTE B11)					
	Sound pressure level at the operator position [LpA:dB(A)] Stand-by: 20.7(dB) Operating Mode:53.3 (dB),						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1